

TestValid

LOGIN / REGISTER | MY CART (5) Q



HOME

CERTIFICATIONS

ABOUT

HOW TO PAY?

GUARANTEE

FAQ

WELCOME TO TESTVALID

Valid test questions and answers for IT certification actual test



With the help of our website, you will pass actual test by practicing test questions and remembering the test answers skillfully.



Quality and Value

TestValid Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



Easy to Pass

If you prepare for the exams using our TestValid testing engine, it is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



Try Before Buy

TestValid offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.testvalid.com>

Valid test questions and answers for IT certification actual test

Exam : **VCS-278**

Title : Administration of Veritas
NetBackup 8.1.2

Vendor : Veritas

Version : DEMO

NO.1 An administrator is comparing the NetBackup Accelerator and NetBackup FlashBackup features to determine which feature should be used for backup of a very large file system with millions of files

Which consideration is irrelevant when determining whether to use NetBackup Accelerator or NetBackup FlashBackup in the situation?

- A. the type of file system being used.
- B. the file system change rate.
- C. the file system storage capacity.
- D. the file system folder depth.

Answer: B

NO.2 When is it most appropriate to use multiple data streams?

- A. When different backup selections are on the same disk.
- B. When backup up ALL_LOCAL_DRIVES to multiple tape drives.
- C. When performing backups over a network that is very busy.
- D. When you have very small backup jobs.

Answer: B

Explanation

Each tape drive can receive a data stream from a different disk.

NO.3 Which action does the DISALLOW_SERVER_FILE_WRITES in a Client's configuration perform?

- A. It blocks the administrator from redirecting restores to another client.
- B. It prohibits the administrator from performing a client restore.
- C. It blocks restores from being initiated from the master server.
- D. It prohibits the client from writing a backup without asking for permission.

Answer: C

NO.4 Where can an administrator configure cloud storage throttling?

- A. NetBackup Management > Host Properties > Clients > Scalable Storage
- B. NetBackup Management > Host Properties > Master Servers > Scalable Storage
- C. NetBackup Management > Host Properties > Media Servers > Scalable Storage
- D. NetBackup Management > Storage > Storage Unit > Properties of the cloud storage unit

Answer: C

NO.5 An administrator has a Linux client that has a backup job failing with the following error message:

```
bpbrm Exit: client backup EXIT STATUS 41: network connection timed out
```

Which step should the administrator perform to ensure the backup job completes successfully?

- A. edit the "Client connect timeout" in the master server Host Properties.
- B. add a SERVER entry for the media server in the client's bp.conf file.
- C. check the firewall settings to ensure NetBackup ports are open.
- D. edit the "Client read timeout" setting in the master server Host Properties.

Answer: D

NO.6 A tape library had the robot firmware upgraded, and now the robot is reading the barcodes with additional characters.

How should an administrator enable NetBackup to use the same characters that were used before the firmware upgrade?

- A. update the device mapping files
- B. update Media settings
- C. update the Media ID Generation setting
- D. update the Barcode Rules setting

Answer: C

NO.7 Which command starts the NetBackup services on Windows?

- A. The netbackup start command
- B. The bpup command
- C. The bp.start_all command
- D. The start services command
- E. The bpup all command

Answer: B

Explanation

None of the other commands are valid on a Windows NetBackup host, some are valid on UNIX.

NO.8 An administrator wants to use a client as the VMware backup host. Where is the name of the VMware backup host entered in NetBackup?

- A. Host Properties > Master Server > VMware Access Hosts
- B. Access Management > Virtual Machine Servers
- C. Media and Device Management > Credentials > Virtual Machine Servers
- D. Host Properties > Clients > VMware Access Hosts

Answer: A

NO.9 Where can an administrator change a disk pool to Down status in the NetBackup Administration Console?

- A. Media and Device Management > Device Monitor > Disk Pools
- B. NetBackup Management > Storage > Storage Unit
- C. Media and Device Management > Devices > Disk Pools
- D. Media and Device Management > Credentials > Storage Servers

Answer: A

NO.10 By default, restores can be initiated by an administrator from the Backup, Archive and Restore interface or by a user on a client machine.

- A. False
- B. True

Answer: B

NO.11 Which of the following statements about block level incremental backups (BLIB) is correct?

- A. They can speed up backups of Oracle databases.
- B. They can speed up backups of Exchange servers.
- C. They enable restore of individual objects for Oracle.
- D. They enable restore of individual objects for Exchange.

Answer: A

Explanation

Block level incremental backups (BLIB) backs up changed data for Oracle. This method does not apply to Exchange.

NO.12 An image of the volume past its expiration date or has reached its maximum number of mounts is no longer available for restores.

- A. True
- B. False

Answer: B

NO.13 Which disk type is unsupported in a Media Server Load Balancing storage unit group?

- A. BasicDisk
- B. AdvancedDisk
- C. PureDisk
- D. Cloud Storage

Answer: A

NO.14 What is in the Backup Selections list for an Oracle backup policy?

- A. The file names of all files using by Oracle
- B. A script to be interpreted by Oracle
- C. The device names or drive letters of the disks
- D. The file names of the transaction logs

Answer: B

Explanation

The technique is also common to other databases, such as Microsoft SQL server.

NO.15 An administrator has a scheduled policy that backs up 20 clients, each with multiple mount points and multiple data streams enabled. One of the jobs has failed and is in an Incomplete state in the Activity Monitor.

How should the administrator verify the incomplete job runs prior to the next scheduled backup?

- A. run a manual job for the mount point
- B. resume the parent job
- C. resume the job
- D. run a manual job for the client

Answer: C

NO.16 An administrator has created a new policy to back up Windows clients, and has created a single automatic schedule. On the scheduled date, the administrator notices that the backup job fails to launch automatically as expected.

Which debug log file should the administrator view to determine why the backup job failed to launch?

- A. nbrb
- B. nbpem
- C. nbjm
- D. nbemm

Answer: B

NO.17 Which command should an administrator use to show a list of incomplete copies of lifecycle managed images?

- A. nbstlutil
- B. bpimage
- C. bpimmedia
- D. nbstl

Answer: A

NO.18 Which of the following is not a selection type of storage unit groups?

- A. Failover
- B. Priority
- C. First-in First-out
- D. Round Robin

Answer: C

Explanation

The four storage unit group selections include Failover , Priority, Round Robin and Media Server Load Balancing.